

## **FASCIA GUTTER**

125mm x 0.60mm  
6000mm Lengths  
SLOTTED ALSO AVAILABLE

**CAPPING**  
6000mm Lengths

**STOP ENDS**  
Loose

**BRACKETS**  
Internal only (50 per box)  
SGCI  
Universal gutter clips

## **QUAD GUTTER**

115mm x 0.60mm  
6000mm Lengths

125mm x 0.60mm  
6000mm Lengths

**STOP ENDS**  
Loose - 115mm  
Loose - 125mm

**BRACKETS**  
Internal - 115mm  
External -115mm - zinc  
External -115mm - galv  
External - 125mm - zinc  
External -125mm - galv

**CAST ANGLES**  
115mm only  
Internal & External

**CORNERS**  
115mm only  
Internal & External

## **O.G. GUTTER**

115mm x 0.60mm  
6000mm Lengths

**STOP ENDS**

Loose - 115mm

## BRACKETS

Internal

External - zinc

External - galv

## CORNERS

Internal & External

## CAST ANGLES

Internal

External

Other Gutter shapes available: OG, Mini OG, Replacement of discontinued profiles and special shapes.

## **HALF ROUND GUTTER**

150mm X 0.60mm

6000mm Lengths

## BRACKETS

External Traditional shape

## **STEEL-LINE FASCIA**

182mm x 0.60mm

6000mm Lengths

## BARGE APEX COVER

(External Joining Sleeve)

## BARGE MITRE/STOP ENDS

(Left & Right Hand)

## EXTERNAL FASCIA CORNER

## INTERNAL FASCIA CORNER

## INTERNAL JOINING SLEEVE

## RAFTER BRACKET

## SPRING CLIPS

## UNIVERSAL STIFFENING CLIPS

## **VALLEY GUTTER**

6000mm Lengths &  
3600mm Lengths

## **RIDGE CAPPINGS**

ROLLTOP RIDGE CAPPING  
to suit Custom Orb  
6000mm Lengths

V-RIDGE CAPPING  
to suit Custom Orb  
6000mm Lengths

ST RIDGE CAPPING  
to suit Trimdek  
6000mm Lengths

BARGE ROLL  
Old Style - 150mm tail  
Other widths available

## **PAINTS & SEALANTS**

TOUCH-UP PAINT  
Spray Can

SILICONE CLEAR  
300g Tube

ADHESIVE – Grip & Grab 290ml  
Per Tube  
Per Carton - (12 Tubes)

## **DOWNPIPES & ACCESSORIES**

SQUARE DOWNPIPE

(1800mm Lengths)

100mm x 100mm  
100mm x 75mm  
100mm x 50mm

(2400mm Lengths)

100mm x 100mm  
100mm x 75mm  
100mm x 50mm

### **ROUND DOWNPIPE**

(1800mm Lengths)  
100mm Diameter  
75mm Diameter  
65mm Diameter  
50mm Diameter

### **CLIPS – SQUARE**

100mm x 100mm  
100mm x 75mm  
100mm x 50mm

### **CLIPS – ROUND**

100mm Diameter  
75mm Diameter  
65mm Diameter  
50mm Diameter

### **POPS – SQUARE**

100mm x 100mm  
100mm x 75mm  
100mm x 50mm

### **POPS – ROUND**

150mm Diameter  
100mm Diameter  
90mm Diameter  
75mm Diameter  
65mm Diameter  
50mm Diameter

### **PRESSED - POPS**

#### **ROUND - zincalume**

65mm Diameter  
75mm Diameter  
90mm Diameter

## **RAINHEADS**

### **FLAT BACK TYPE**

	"W"	"H"	"D"
Small	- 300mm	x 150mm	x 150mm
Medium	- 375mm	x 215mm	x 225mm
Large	- 450mm	x 300mm	x 300mm

### **OLD STYLE (Victorian)**

Small	- 275mm x 250mm x 175mm
Medium	- 350mm x 320mm x 230mm

(Other sizes & corner mounting type available also, and other Period, Architectural Designs & standards)

## **STOCK CRATE DECKING/FLOORING**

1.6mm (16 gauge) Galvabond  
Approx. sheet size: 2000mm x 1200mm

## **VENTILATED RIDGE**

150mm Throat  
Loose Stop End  
Fitted Stop End

225mm Throat  
Loose Stop End  
Fitted Stop End

300mm Throat  
Loose Stop End  
Fitted Stop End

375mm Throat  
Loose Stop End  
Fitted Stop End

450mm Throat  
Loose Stop End  
Fitted Stop End

Standard Lengths are 3600mm & 2400mm. Other lengths & materials available.

Special Ventilators on request: Cyclone Proof, Slope Mounted, Fly Proof, Modular,

Top Exhausting, Budget, Dampered (manual or automatic),  
Site assembled kits (only for larger airways).

## CHINA HAT COWLS - GALVABOND

100mm diameter  
150mm diameter  
175mm diameter  
200mm diameter  
225mm diameter  
250mm diameter  
275mm diameter  
300mm diameter

Stainless Steel & other materials available - P.O.A.

## ANTI-DRAFT COWLS - GALVABOND

150mm diameter  
200mm diameter  
225mm diameter  
250mm diameter  
275mm diameter  
300mm diameter

\*\* Ideal for Exhaust Fans and Vents - positive air flow. No down drafts.  
Stainless Steel & other materials available - P.O.A.

## ROUND FLUE PIPE

Stainless Steel

1200mm Lengths

150mm (6") x 0.55mm

125mm (5") x 0.55mm

## DEKTITES

BLACK - (Ambient Temperature Type)

### Code

DFE	0 - 35 B
DFE	5 - 55 B
DFE	50 - 70 B
DFE	50 - 120 B
DFE	110 - 170 B

DFE 160 - 220 B  
DFE 220 - 300 B  
DFE 290 - 380 B

**RED - (Hi-Temperature Type)**

Code  
DFS 5 - 55 RE  
DFS 50 - 70 RE  
DFS 70 - 110 RE  
DFE 5 - 127 RE  
DFE 100 - 200 RE  
DFE 150 - 300 RE

**BLACK - (Ezi-Seal Hangsell Garded High Temperature)**

Code  
DFE 0 - 35 EZC  
DFE 5 - 55 EZC  
DFE 50 - 70 EZC  
DFE 5 - 120 EZC  
DFE 110 - 170 EZC  
DFE 160 - 220 EZC  
DFE 160 - 300 EZC

**TEK SCREWS - SCREWS 5 PER SQ/M**

TO SUIT TIMBER

**PLAIN C/BOND**  
per 1000

12 X 65 Hex Screws - TRIMDEK  
12 X 50 Hex Screws – CORRUGATED

12 x 25 Hex Screws - WALL FIX  
12 x 25 Hex Screws - NO NEOS

TO SUIT STEEL

12 X 45 Tek Screws - TRIMDEK  
12 x 35 Tek Screws - CORRUGATED

\*ABOVE TO COMPLY WITH "AS3566 CLASS 3" \*  
\*suit timber & steel\*

M4.8 - 16 X 25 RIPPLE ZIPS - (suit mini orb)

M6 X 25 HEX ROOFING ZIP SCREWS  
M6 X 50 HEX ROOFING ZIP SCREWS  
M6 X 65 HEX ROOFING ZIP SCREWS

TO SUIT STEEL

10 x 16 TEKS – WITH NEOS  
10 X 16 TEKS - NO NEOS

## 10 X 16 WAFER TEKS

---

### RIVETS

BB 6-6 s/steel Dome Rivets

1/8" Pop Rivets /100

TSP/D 44 Rivets /1000

RV 6604-6-4W Bulbtite Rivets /100

WP 6-4 /250

WP 6-3 /250

SB 4-2/3 STEEL/STEEL /500

ALUMINIUM/STEEL /1000

BS 429 COPPER RIVETS - TLP/D /100

8g x 25mm Button head needle point screws per 1000  
(fixing rafter brackets to timber)

### MONEL NICKEL RIVETS

TLPD - 424

TLPD - 435

TLPD - 636

TLPD - 650

AB 4-3

## FENCING COMPONENTS

### FENCE CAPPING (100mm Girth)

Zincalume

Colorbond

### C-SECTION

Roll Formed to any lengths

6000mm Lengths Ex-Stock

1.0mm Zincalume / Galvabond

**Colorbond   Zincalume   Galvabond**

**CORRUGATED** 762mm Cover

**CUSTOM ORB** .42mm Base  
Metal Thickness

**TRIMDEK HI-TEN** 762mm Cover

.42mm Base  
Metal Thickness

**KLIPOK HI-TEN** 406mm Cover

.42mm Base



Metal Thickness

.48mm Base  
Metal Thickness

**CUSTOM BLUE ORB** 762mm Cover  
{Curving Grade} .60mm Base

{CUSTOM BLUE ORB ONLY}  
Curving of Sheets

**EXTRA LONG SHEETS OR  
COMPOSITE CURVES**

.....

**0.55mm ZINC TOPSPAN 40 ROOF BATTENS -**  
( ex BHP - 7500mm lengths)

**Z 200 GALVABOND**

**SPANDEK** 700mm Cover  
0.42mm BMT

**MINI ORB** 821mm Cover  
0.35mm BMT .  
0.42mm BMT .

**GARAGE PANEL** 855mm Cover  
0.42mm BMT

Other materials available  
subject to enquiry

**SOLASAFE POLYCARBONATE SHEETING**

**CORRUGATED** - 760mm Cover  
Colors - Clear, Opal, Light Bronze, Dark Tint, Grey, Wheat, Green.  
STANDARD SHEET LENGTHS - 1800mm, 2100mm, 2400mm, 2700mm  
3000mm, 3600mm, 4200mm, 4800mm  
5100mm, 5500mm, 6000mm.

**TRIMDEK & MONOCLAD {5 RIB PROFILE}** 760mm Cover  
Colors - Clear, Opal, Grey  
STANDARD SHEET LENGTHS - 1800mm, 2100mm, 2400mm, 2700mm,  
3000mm, 3600mm, 4200mm, 4800mm,  
5100mm, 5500mm, 6000mm.

**GRECA PROFILE -** 762mm Cover

Colors - Clear, Opal, Light Bronze, Grey.  
STANDARD SHEET LENGTHS - **AS ABOVE**

**WONDER GLASS G.C.P** - CORRUGATED & FIVE RIB 760mm Cover  
COLORS - clear, pearl, cream, blue, olive, apricote - 1500 GSM

CLEAR FIX SCREWS AND SEALS 12 x 50mm

### **CURVED FLASHINGS**

	<b>ZINCALUME</b>	<b>COLORBOND</b>
BARGE CAPPING		
SOAKER FLASHING		
VALLEY GUTTER		
HIP CAPPING		
CONCAVE HIP CAPPING		
UP TO 1800MM LENGTHS		
250MM - 450MM RADIUS		
OTHER SIZES AVAILABLE		

**TUF-FLEX METAL EDGE FLEXIBLE DUCT CONNECTOR**  
**PRODUCT HN100 G.P. GREY**  
Packed Weight 33.0 k.g.

Price per 40.0 Metre Roll:

**PRODUCT PN100 E.C. GREEN**  
Packed Weight 33.0 k.g.

Price per 40.0 Metre Roll

## **FILLER CHUTE LIST**

Filler Chute - Type A

Filler Chute - Type B

Filler Chute - Type C

Filler Chute - Type D

0.60mm Galvabond Flue - 6 Metres x 100mm diam

Cast Aluminium Adaptors - to Australian Standard  
to suit Type A,B,C,D, Filler Chutes

---

**GALVABOND CRIMP BENDS - 45 DEGREE OR 90 DEGREE**

50mm diameter  
65mm diameter  
75mm diameter  
100mm diameter  
125mm diameter  
150mm diameter  
200mm diameter